L Number	Hits	Search Text	DB	Time stamp
1	0	machine with behavior same associat\$4 same object near5 identifier and	USPAT;	2004/02/03 11:39
	Ů	(launch\$4 start\$4 enabl\$4) with (application web browser)	US-PGPUB;	200 02.03 11.37
		( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	EPO; JPO;	
		,	DERWENT;	٠
			IBM_TDB	
2	2306	object near5 identifier and (launch\$4 start\$4 enabl\$4) with (application	USPAT;	2004/02/03 11:39
		web browser)	US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	•
3	42	( object near5 identifier and (launch\$4 start\$4 enabl\$4) with (application	USPAT;	2004/02/03 11:41
		web browser)) and registration near system and database near3 system	US-PGPUB;	
i i			EPO; JPO;	
			DERWENT;	
_	_	(4.11	IBM_TDB	
4	5	(( object near5 identifier and (launch\$4 start\$4 enabl\$4) with (application	USPAT;	2004/02/03 11:40
		web browser)) and registration near system and database near3 system) and	US-PGPUB;	
		behavior with associat\$4 with object	EPO; JPO;	
			DERWENT;	
<u>-</u>	500	( abiant moons identified and (large abs A and 164) with (and livetice	IBM_TDB	2004/02/02 11:41
5	599	( object near5 identifier and (launch\$4 start\$4 enabl\$4) with (application	USPAT;	2004/02/03 11:41
		web browser)) and registration and database	US-PGPUB; EPO; JPO;	
			DERWENT:	
			l '	
6	144888	(( object near5 identifier and (launch\$4 start\$4 enabl\$4) with (application	IBM_TDB   USPAT;	2004/02/03 11:42
"	144000	web browser)) and registration and database ) and receiv\$4 with object	US-PGPUB;	2004/02/03 11.42
!		with (id identifier) ans associat\$4 with object	EPO; JPO;	
		With (1d Identifier) and absolute With object	DERWENT;	
			IBM_TDB	
7	193	(( object near5 identifier and (launch\$4 start\$4 enabl\$4) with (application	USPAT;	2004/02/03 11:42
		web browser)) and registration and database ) and receiv\$4 with object	US-PGPUB;	
		with (id identifier) and associat\$4 with object	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	41	((( object near5 identifier and (launch\$4 start\$4 enabl\$4) with (application	USPAT;	2004/02/03 11:45
		web browser)) and registration and database ) and receiv\$4 with object	US-PGPUB;	
		with (id identifier) and associat\$4 with object) and launch\$4 and barcode	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
9 .	141	((( object near5 identifier and (launch\$4 start\$4 enabl\$4) with (application	USPAT;	2004/02/03 11:45
		web browser)) and registration and database ) and receiv\$4 with object	US-PGPUB;	
		with (id identifier) and associat\$4 with object) and launch\$4 and link\$6	EPO; JPO;	
			DERWENT;	
10	1 4 1	(((( abject moons identifier and (loungh 64 -t-ut64 -u-164)th ( 1' '	IBM_TDB	2004/02/02 11:45
10	141	(((( object near5 identifier and (launch\$4 start\$4 enabl\$4) with (application	USPAT;	2004/02/03 11:46
		web browser)) and registration and database ) and receiv\$4 with object	US-PGPUB;	
		with (id identifier) and associat\$4 with object) and launch\$4 and link\$6) and associat\$4 with object	EPO; JPO; DERWENT;	,
1		and association with object	IBM_TDB	
11	106	((((( object near5 identifier and (launch\$4 start\$4 enabl\$4) with (application	USPAT;	2004/02/03 11:47
**	100	web browser)) and registration and database ) and receiv\$4 with object	US-PGPUB;	2007/02/03 11.47
		with (id identifier) and associat\$4 with object) and launch\$4 and link\$6)	EPO; JPO;	
		and associat\$4 with object) and user with specify\$4	DERWENT;	
			IBM_TDB	
12	106	(((((( object near5 identifier and (launch\$4 start\$4 enabl\$4) with	USPAT;	2004/02/03 11:51
		(application web browser)) and registration and database ) and receiv\$4	US-PGPUB;	
		with object with (id identifier) and associat\$4 with object) and launch\$4 and	EPO; JPO;	
		link\$6) and associat\$4 with object) and user with specify\$4 ) and	DERWENT;	
		(access\$4 opening enabling starting launching) with (application browser	IBM_TDB	
!		web)	_	

13	106	((((((( object near5 identifier and (launch\$4 start\$4 enabl\$4) with	USPAT;	2004/02/03 11:51
		(application web browser)) and registration and database ) and receiv\$4 with object with ( id identifier) and associat\$4 with object) and launch\$4 and	US-PGPUB; EPO; JPO;	
		link\$6) and associat\$4 with object) and user with specify\$4 ) and	DERWENT;	
		(access\$4 opening enabling starting launching) with (application browser	IBM_TDB	
		web)) and associat\$4 with object	_	
14	91	((((((( object near5 identifier and (launch\$4 start\$4 enabl\$4) with	USPAT,	2004/02/03 11:52
		(application web browser)) and registration and database ) and receiv\$4	US-PGPUB;	
		with object with (id identifier) and associat\$4 with object) and launch\$4 and link\$6) and associat\$4 with object) and user with specify\$4) and	EPO; JPO; DERWENT;	
		(access\$4 opening enabling starting launching) with (application browser	IBM TDB	
		web)) and associat\$4 with object same (function\$4 abehavior character\$4		
		action)		
15	98	((((((( object near5 identifier and (launch\$4 start\$4 enabl\$4) with	USPAT;	2004/02/03 11:52
		(application web browser)) and registration and database ) and receiv\$4 with object with ( id identifier) and associat\$4 with object) and launch\$4 and	US-PGPUB; EPO; JPO;	
		link\$6) and associat\$4 with object) and user with specify\$4 ) and	DERWENT;	,
		(access\$4 opening enabling starting launching) with (application browser	IBM_TDB	
		web)) and associat\$4 with object same (function\$4 linking starting	_	
.,		launching behavior character\$4 action)		
16	23	345/768,744,765;382/100,232.ccls. and linking and behavior with object	USPAT; US-PGPUB;	2004/02/03 11:53
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
17	3	(345/768,744,765;382/100,232.ccls. and linking and behavior with object)	USPAT;	2004/02/03 12:06
		and launching with (application browser web)	US-PGPUB;	
			EPO; JPO; DERWENT;	*
			IBM_TDB	
18	· 112	("5047918"   "5133075"   "5187787"   "5241580"   "5291593"   "5301270"	USPAT	2004/02/03 11:55
		"5301320"   "5313636"   "5414812"   "5434978"   "5437038"   "5457797"		
		"5463686"   "5471629"   "5475844"   "5499371"   "5560005"   "5568644"     "5581758"   "5606664"   "5623418"   "5642511"   "5649139"   "5671386"		
		"5675748"   "5677997"   "5680602"   "5692107"   "5706506"   "5708828"		
		"5710901"   "5715397"   "5721908"   "5724575"   "5732263"   "5732270"		
		"5737607"   "5751965"   "5758351"   "5761513"   "5764235"   "5764955"		
		"5768510"   "5774660"   "5778368"   "5787413"   "5799310"   "5867153"		
		"5870742"   "5870746"   "5872973"   "5873086"   "5878408"   "5890133"     "5892909"   "5896383"   "5898870"   "5905873"   "5905897"   "5907704"		
		"5909540"   "5915115"   "5920703"   "5933816"   "5940075"   "5940594"		
		"5946694"   "5946697"   "5953707"   "5958012"   "5960200"   "5966451"		
		"5987247"   "5987501"   "5987514"   "5987633"   "5995753"   "5995945"		
		"599948"   "6006230"   "6016394"   "6018743"   "6023722"   "6029174"		
		"6029177"   "6032153"   "6035303"   "6038598"   "6041365"   "6052739"     "6057856"   "6070191"   "6078960"   "6081837"   "6083276"   "6085198"		,
		"6092118"   "6108703"   "6115752"   "6125359"   "6128279"   "6141660"		
		"6141759"   "6144991"   "6148335"   "6148361"   "6154212"   "6157940"		
		"6182182"   "6202099"   "6223209"   "6243761").PN.		
19	0	(((((((( object near5 identifier and (launch\$4 start\$4 enabl\$4) with	USPAT;	2004/02/03 12:07
		(application web browser)) and registration and database ) and receiv\$4 with object with ( id identifier) and associat\$4 with object) and launch\$4 and	US-PGPUB; EPO; JPO;	
		link\$6) and associat\$4 with object) and user with specify\$4 ) and	DERWENT;	
		(access\$4 opening enabling starting launching) with (application browser	IBM_TDB	
		web)) and associat\$4 with object ) and specifry\$4 same actions		
20	24	(((((((( object near5 identifier and (launch\$4 start\$4 enabl\$4) with	USPAT;	2004/02/03 12:08
		(application web browser)) and registration and database ) and receiv\$4 with object with ( id identifier) and associat\$4 with object) and launch\$4 and	US-PGPUB; EPO; JPO;	
		link\$6) and associat\$4 with object) and user with specify\$4 ) and	DERWENT;	
		(access\$4 opening enabling starting launching) with (application browser	IBM_TDB	
L.,	<u> </u>	web)) and associat\$4 with object ) and specify\$4 same actions		

21	33	(((((((( object near5 identifier and (launch\$4 start\$4 enabl\$4) with	USPAT;	2004/02/03 12:10
Ì	-	(application web browser)) and registration and database ) and receiv\$4	US-PGPUB;	
		with object with (id identifier) and associat\$4 with object) and launch\$4 and	EPO; JPO;	
		link\$6) and associat\$4 with object) and user with specify\$4 ) and	DERWENT;	
1		(access\$4 opening enabling starting launching) with (application browser	IBM_TDB	
	i	web)) and associat\$4 with object) and registration and database and records	_	
ł	İ	same identifiers		